




Over 100 Years of Experience

# Combo Drive Pancake

## Combination #2 Square & Philips Drive:

- Greater torque during installation
- Tighter fit on driver bit
- Greater installation flexibility
- Low profile design provides added clearance for concealed fastener panel systems
- Slight countersunk underneath head creates a stronger fastener
- Available in TCP3 and Type A point styles; Carbon and 410 Stainless Steel for corrosion protection
- Coarse threads provide secure fastening into wood



## Low Profile Panel Clip Fasteners

- Carbon steel
- .0003 minimum electrical zinc plated
- Self-tapping and tapered compression drill points (TCP)

	Size	Point	Carton Qty.
<b>Pancake Head</b>			
	#10-12 x 1"	A	5,000
	#12-11 x 1"	A	2,500
	#10-16 x 1"	TCP3	5,000
	#12-14 x 1"	TCP3	2,500



[www.atlasfasteners.com](http://www.atlasfasteners.com)

1628 Troy Road • Ashland Ohio, 44805  
T: 419-289-6171 • F: 419-289-2564

**800-321-6977**

### SALES AND SERVICE CENTERS

Ashland, Ohio  
1-800-321-6977

Flat Rock, NC  
1-800-364-0370

Houston, TX  
1-800-503-2105

Salem, OR  
1-800-547-8740





Over 100 Years of Experience

### Low Profile Panel Clip Fasteners

410 Stainless steel

Passivated

Self-tapping and tapered compression drill points (TCP)

	Size	Point	Carton Qty.
<b>Pancake Head</b>			
	#10-12 x 1"	A	5,000
	#12-14 x 1"	TCP3	2,500

### Strength Characteristics

Fastener Size	Minimum Tensile (pounds)	Minimum Fastener Torque Strength (inch - pounds)	Fastener Shear (pounds)
#10-16	1,638	61	1,300
#10-12	1,442	50	1,180
#12-14	1,742	92	1,730
#12-11	1,707	85	1,720



[www.atlasfasteners.com](http://www.atlasfasteners.com)

1628 Troy Road • Ashland Ohio, 44805  
T: 419-289-6171 • F: 419-289-2564

**800-321-6977**

### SALES AND SERVICE CENTERS

Ashland, Ohio  
1-800-321-6977


Flat Rock, NC  
1-800-364-0370

Houston, TX  
1-800-503-2105

Salem, OR  
1-800-547-8740




Over 100 Years of Experience



**Pull-Out Values (lbs.) for Metal Applications**

**Average Ultimate Failure Values**

Size	Point	12ga.	14ga.	16ga.	26ga.
#10-16	TCP3	1,477	970	711	127
#12-14	TCP3	1,634	1,066	760	145



**Pull-Out Values (lbs.) for Wood Applications**

**Average Ultimate Failure Values**

Size	Point	1/2" CDX	5/8" CDX	3/4" CDX	SPF #2
#10-12	Type A	415	394	520	408
#12-11	Type A	489	428	605	445



[www.atlasfasteners.com](http://www.atlasfasteners.com)

1628 Troy Road • Ashland Ohio, 44805  
T: 419-289-6171 • F: 419-289-2564

**800-321-6977**

**SALES AND SERVICE CENTERS**

Ashland, Ohio  
1-800-321-6977

Flat Rock, NC  
1-800-364-0370

Houston, TX  
1-800-503-2105

Salem, OR  
1-800-547-8740